




Light Tape[®]

Color Tech

Table of Contents

E. Color Technical Data



- E1. Classic Series - Natural Blue
- E2. Classic Series - Media White
- E3. Classic Series - Glacier White
- E4. Classic Series - Yellow
- E5. Classic Series - Electric Blue

- E6. Extreme Series - Blue Green
- E7. Extreme Series - Caribbean Blue
- E8. Extreme Series - Purple
- E9. Extreme Series - Orange
- E10. Extreme Series - Rich Red
- E11. Extreme Series - International Red
- E12. Extreme Series - Pink
- E13. Extreme Series - Green

Classic Series - Natural Blue

Technical Data




Parameter	Value
CCT	9537 k
CRI	83
CRI (Re)	79
CQS	82
Illuminance	280 lux
Foot Candle	26.0 fc
CIE 1931 x	0.2654
CIE 1931 y	0.3293
CIE 1931 u'	0.1653
CIE 1931 v'	0.4616
λ_p	545 nm
λ_D	491 nm
Purity	23%
Duv	0.0288
S/P ratio	3.1



Classic Series - Media White

Technical Data





Parameter	Value
CCT	8000 k
CRI	90
CRI (Re)	86
CQS	89
Illuminance	295 lux
Foot Candle	27.4 fc
CIE 1931 x	0.3550
CIE 1931 y	0.3689
CIE 1931 u'	0.2114
CIE 1931 v'	0.4943
λ_p	547 nm
λ_D	572 nm
Purity	17%
Duv	0.0047
S/P ratio	2.0



Classic Series - Glacier White

Technical Data



Parameter	Value
CCT	5886 k
CRI	72
CRI (Re)	61
CQS	71
Illuminance	256 lux
Foot Candle	23.8 fc
CIE 1931 x	0.3228
CIE 1931 y	0.3623
CIE 1931 u'	0.1927
CIE 1931 v'	0.4865
λ_p	552 nm
λ_D	531 nm
Purity	6%
Duv	0.0147
S/P ratio	2.2



Classic Series - Yellow

Technical Data



Parameter	Value
CCT	3772 k
CRI	74
CRI (Re)	63
CQS	74
Illuminance	289 lux
Foot Candle	26.8 fc
CIE 1931 x	0.4170
CIE 1931 y	0.4650
CIE 1931 u'	0.2153
CIE 1931 v'	0.5403
λ_p	547 nm
λ_D	573 nm
Purity	65%
Duv	0.0269
S/P ratio	1.4



Classic Series - Electric Blue

Technical Data




Parameter	Value
CCT	10837 k
CRI	88
CRI (Re)	87
CQS	88
Illuminance	175 lux
Foot Candle	16.3 fc
CIE 1931 x	0.2725
CIE 1931 y	0.2902
CIE 1931 u'	0.1835
CIE 1931 v'	0.4399
λ_p	488 nm
λ_D	482 nm
Purity	24%
Duv	0.0061
S/P ratio	3.1



Extreme Series - Blue Green

Technical Data




Parameter	Value
CCT	6570 k
CRI	74
CRI (Re)	66
CQS	74
Illuminance	354 lux
Foot Candle	32.9 fc
CIE 1931 x	0.2986
CIE 1931 y	0.4163
CIE 1931 u'	0.1614
CIE 1931 v'	0.5064
λ_p	545 nm
λ_D	527 nm
Purity	17%
Duv	0.0476
S/P ratio	2.6



Extreme Series - Caribbean Blue

Technical Data




Parameter	Value
CCT	0 k
CRI	0
CRI (Re)	0
CQS	0
Illuminance	114 lux
Foot Candle	10.6 fc
CIE 1931 x	0.1154
CIE 1931 y	0.2578
CIE 1931 u'	0.0787
CIE 1931 v'	0.3957
λ_p	486 nm
λ_D	487 nm
Purity	79%
Duv	0.0000
S/P ratio	6.6



Extreme Series - Purple

Technical Data



Parameter	Value
CCT	0 k
CRI	0
CRI (Re)	0
CQS	0
Illuminance	213 lux
Foot Candle	19.8 fc
CIE 1931 x	0.6177
CIE 1931 y	0.3082
CIE 1931 u'	0.4523
CIE 1931 v'	0.5078
λ_p	623 nm
λ_D	624 nm
Purity	78%
Duv	0.0000
S/P ratio	0.5



Extreme Series - Orange

Technical Data



Parameter	Value
CCT	0 k
CRI	0
CRI (Re)	0
CQS	0
Illuminance	392 lux
Foot Candle	36.4 fc
CIE 1931 x	0.6258
CIE 1931 y	0.3719
CIE 1931 u'	0.4029
CIE 1931 v'	0.5389
λ_p	602 nm
λ_D	600 nm
Purity	99%
Duv	0.0000
S/P ratio	0.2



Classic Series - Rich Red

Technical Data



Parameter	Value
CCT	2225 k
CRI	82
CRI (Re)	88
CQS	89
Illuminance	165 lux
Foot Candle	15.3 fc
CIE 1931 x	0.4902
CIE 1931 y	0.3965
CIE 1931 u'	0.2893
CIE 1931 v'	0.5265
λ_p	615 nm
λ_D	589 nm
Purity	66%
Duv	0.0062
S/P ratio	1.2



Classic Series - International Red

Technical Data



Parameter	Value
CCT	1706 k
CRI	75
CRI (Re)	70
CQS	0
Illuminance	197 lux
Foot Candle	18.3 fc
CIE 1931 x	0.5243
CIE 1931 y	0.3621
CIE 1931 u'	0.3330
CIE 1931 v'	0.5176
λ_p	614 nm
λ_D	599 nm
Purity	66%
Duv	0.0154
S/P ratio	1.0



Classic Series - Pink

Technical Data



Parameter	Value
CCT	0 k
CRI	0
CRI (Re)	0
CQS	0
Illuminance	213 lux
Foot Candle	19.8 fc
CIE 1931 x	0.6177
CIE 1931 y	0.3082
CIE 1931 u'	0.4523
CIE 1931 v'	0.5078
λ_p	623 nm
λ_D	624 nm
Purity	78%
Duv	0.0000
S/P ratio	0.5



Classic Series - Green

Technical Data

Parameter	Value
CCT	5601 k
CRI	0
CRI (Re)	0
CQS	63
Illuminance	262 lux
Foot Candle	24.4 fc
CIE 1931 x	0.3289
CIE 1931 y	0.5037
CIE 1931 u'	0.1569
CIE 1931 v'	0.5405
λ_p	545 nm
λ_D	553 nm
Purity	50%
Duv	0.0653
S/P ratio	2.1



WWW.LIGHTTAPE.COM